

WATERTIGHT DOORS

VERSION

1

ASSEMBLY GUIDE

SCALE

1/18

Thank you for purchasing the Watertight Doors, a 1:18 scale model kit from DioWarriors. We are always striving to improve the quality of our products so there might be slight differences with this assembly guide and the physical kit. Please check online at the DioWarriors Store for any update, replacement part, and other information. Your kit may also have pre-assembled parts while this guide may show those parts as being unassembled.

How-To Assemble

All parts of the kit can be assembled without cutting. Instead, physical adjustments can be achieved by sanding. If a part is too tight to assemble try sanding it slightly until it fits.

Gluing Tips:

This model may require glue to fully assemble. Superglue tend to work for this kit. Please take caution when gluing near transparent parts as super glue can leave a vapor trail. A bit of masking tape can shield against the vapor.

As always, please follow the safety and usage guidelines for whatever glue you use, and always glue with proper ventilation.

Smoothing and Layer Lines

It is the nature of 3D printing to make an object by fusing material layer-by-layer. The process generates layer lines. This kit contains parts additionally treated to reduce layer lines. Please visit the DioWarriors Store for additional information.

We can use your help. We are a very small company. If you enjoy this model, please consider sharing photos of it. Word-of-mouth helps us a lot. Every purchase goes to improving machines, which in turn helps us produce larger, and better models.

Apply Glue



Do Not Glue




Warning: This kit contains small parts which can be a choking hazard. Please keep this kit away from children.


DOOR HINGE



Do not glue





DOOR—LOCK MECHANISM



Insert into slot.

- Glue the lock components into the ports.



- Insert the wheel into the door. Do not glue.

